

# WING 2

## ANCHOR POINT

A4  
AISI 316

EN  
795 - A



### UNOBTRUSIVE

Very compact device that provides an anchorage point for an operator.

### PRACTICAL

With its light weight, it is ideal as an anchor point for the safety rope during suspension work.

## CODES AND DIMENSIONS

CODE	material	weight [g]	anchor system diameter*	pcs
WING2	stainless steel AISI 316	44	M12	1

\* The values indicated are the result of experimental tests carried out under the supervision of third parties in accordance with the standard referred to. For a calculation report with minimum distances according to the relevant standard requirements, the substructure must be checked by a qualified engineer before installation.

# MOBILE

## MOBILE ANCHOR POINT

EN  
795 - B

CE



### REMOVABLE

It can be assembled and disassembled easily and quickly, to safely ensure temporary access to the roofing.

### FUNCTIONAL

It can be temporarily installed on doors, windows and inclined skylights, with no structural damage.

## CODES AND DIMENSIONS

CODE	material	L [mm]	B [mm]	H [mm]	weight [kg]	pcs
MOBILE	EE30 aluminium	1450	770	175	6,7	1

The values indicated are the result of experimental tests carried out under the supervision of third parties in accordance with the standard referred to. For a calculation report with minimum distances according to the relevant standard requirements, the substructure must be checked by a qualified engineer before installation.

